

The following are excerpts from the document “Ethical and Religious Directives for Catholic Health Care Services”, Fourth Edition dated June 15, 2001.

Only excerpts have been copied from this document. Every extracted item has been copied, **without editing, modification, or addition, in its entirety from the named section of the original document.**

To view this document in its entirety, go to: <http://www.usccb.org/bishops/directives.shtml#preamble>

\*\*\*\*\*

## **Ethical and Religious Directives for Catholic Health Care Services, Fourth Edition**

---

*Issued by NCCB/USCC, June 15, 2001  
Copyright © 2001, United States Conference of Catholic Bishops, Inc. All rights reserved.  
[Order Copies of This Statement](#)*

*United States Conference of Catholic Bishops*

### **Contents**

[Preamble](#)  
[General Introduction](#)

[PART ONE](#)  
The Social Responsibility of Catholic Health Care Services

[PART TWO](#)  
The Pastoral and Spiritual Responsibility of Catholic Health Care

[PART THREE](#)  
The Professional-Patient Relationship

[PART FOUR](#)  
Issues in Care for the Beginning of Life

[PART FIVE](#)  
Issues in Care for the Dying

[PART SIX](#)  
Forming New Partnerships with Health Care Organizations and Providers

### [Conclusion](#)

[PART ONE](#)  
The Social Responsibility of Catholic Health Care Services

Introduction

Fifth, within a pluralistic society, Catholic health care services will encounter requests for medical procedures contrary to the moral teachings of the Church. Catholic health care does not offend the rights of individual conscience by refusing to provide or permit medical procedures that are judged morally wrong by the teaching authority of the Church.

#### Directives

5. Catholic health care services must adopt these Directives as policy, require adherence to them within the institution as a condition for medical privileges and employment, and provide appropriate instruction regarding the Directives for administration, medical and nursing staff, and other personnel.

9. Employees of a Catholic health care institution must respect and uphold the religious mission of the institution and adhere to these Directives. They should maintain professional standards and promote the institution's commitment to human dignity and the common good.

### **PART TWO**

#### The Pastoral and Spiritual Responsibility of Catholic Health Care

(No items were copied)

### **PART THREE**

#### The Professional-Patient Relationship

#### Directives

24. In compliance with federal law, a Catholic health care institution will make available to patients information about their rights, under the laws of their state, to make an advance directive for their medical treatment. The institution, however, will not honor an advance directive that is contrary to Catholic teaching. If the advance directive conflicts with Catholic teaching, an explanation should be provided as to why the directive cannot be honored.

27. Free and informed consent requires that the person or the person's surrogate receive all reasonable information about the essential nature of the proposed treatment and its benefits; its risks, side-effects, consequences, and cost; and any reasonable and morally legitimate alternatives, including no treatment at all.

28. Each person or the person's surrogate should have access to medical and moral information and counseling so as to be able to form his or her conscience. The free and informed health care decision of the person or the person's surrogate is to be followed so long as it does not contradict Catholic principles.

29. All persons served by Catholic health care have the right and duty to protect and preserve their bodily and functional integrity.<sup>16</sup> The functional integrity of the person may be sacrificed to maintain the health or life of the person when no other morally permissible means is available.<sup>17</sup>

36. Compassionate and understanding care should be given to a person who is the victim of sexual assault. Health care providers should cooperate with law enforcement officials and offer the person psychological and spiritual support as well as accurate medical information. A female who has been raped should be able to defend herself against a potential conception from the sexual assault. If, after appropriate testing, there is no evidence that conception has occurred already, she may be treated with medications that would prevent ovulation, sperm capacitation, or fertilization. It is not permissible, however, to initiate or to recommend treatments that have as their purpose or direct effect the removal, destruction, or interference with the implantation of a fertilized ovum.<sup>19</sup>

### **PART FOUR**

#### Issues in Care for the Beginning of Life

#### Introduction

For legitimate reasons of responsible parenthood, married couples may limit the number of their children by natural means. The Church cannot approve contraceptive interventions that "either in anticipation of the marital act, or in its accomplishment or in the development of its natural consequences, have the purpose, whether as an end or a means, to render procreation impossible."<sup>23</sup> Such interventions violate "the inseparable connection, willed by God . . . between the two meanings of the conjugal act: the unitive and procreative meaning."<sup>24</sup>

With the advance of the biological and medical sciences, society has at its disposal new technologies for responding to the problem of infertility. While we rejoice in the potential for good inherent in many of these technologies, we cannot assume that what is technically possible is always morally right. Reproductive technologies that substitute for the marriage act are not consistent with human dignity. Just as the marriage act is joined naturally to procreation, so procreation is joined naturally to the marriage act. As Pope John XXIII observed:

The transmission of human life is entrusted by nature to a personal and conscious act and as such is subject to all the holy laws of God: the immutable and inviolable laws which must be recognized and observed. For this reason, one cannot use means and follow methods which could be licit in the transmission of the life of plants and animals.<sup>25</sup>

### Directives

When the marital act of sexual intercourse is not able to attain its procreative purpose, assistance that does not separate the unitive and procreative ends of the act, and does not substitute for the marital act itself, may be used to help married couples conceive.<sup>27</sup>

Those techniques of assisted conception that respect the unitive and procreative meanings of sexual intercourse and do not involve the destruction of human embryos, or their deliberate generation in such numbers that it is clearly envisaged that all cannot implant and some are simply being used to maximize the chances of others implanting, may be used as therapies for infertility.

Heterologous fertilization (that is, any technique used to achieve conception by the use of gametes coming from at least one donor other than the spouses) is prohibited because it is contrary to the covenant of marriage, the unity of the spouses, and the dignity proper to parents and the child.<sup>28</sup>

Homologous artificial fertilization (that is, any technique used to achieve conception using the gametes of the two spouses joined in marriage) is prohibited when it separates procreation from the marital act in its unitive significance (e.g., any technique used to achieve extra-corporeal conception).<sup>29</sup>

Because of the dignity of the child and of marriage, and because of the uniqueness of the mother-child relationship, participation in contracts or arrangements for surrogate motherhood is not permitted. Moreover, the commercialization of such surrogacy denigrates the dignity of women, especially the poor.<sup>30</sup>

A Catholic health care institution that provides treatment for infertility should offer not only technical assistance to infertile couples but also should help couples pursue other solutions (e.g., counseling, adoption).

Abortion (that is, the directly intended termination of pregnancy before viability or the directly intended destruction of a viable fetus) is never permitted. Every procedure whose sole immediate effect is the termination of pregnancy before viability is an abortion, which, in its moral context, includes the interval between conception and implantation of the embryo. Catholic health care institutions are not to provide abortion services, even based upon the principle of material cooperation. In this context, Catholic health care institutions need to be concerned about the danger of scandal in any association with abortion providers.

46. Catholic health care providers should be ready to offer compassionate physical, psychological, moral, and spiritual care to those persons who have suffered from the trauma of abortion.

47. Operations, treatments, and medications that have as their direct purpose the cure of a proportionately serious pathological condition of a pregnant woman are permitted when they cannot be safely postponed until the unborn child is viable, even if they will result in the death of the unborn child.

48. In case of extrauterine pregnancy, no intervention is morally licit which constitutes a direct abortion.<sup>31</sup>

For a proportionate reason, labor may be induced after the fetus is viable.

Prenatal diagnosis is permitted when the procedure does not threaten the life or physical integrity of the unborn child or the mother and does not subject them to disproportionate risks; when the diagnosis can provide information to guide preventative care for the mother or pre- or postnatal care for the child; and when the parents, or at least the mother, give free and informed consent. Prenatal diagnosis is not permitted when undertaken with the intention of aborting an unborn child with a serious defect.<sup>32</sup>

Catholic health institutions may not promote or condone contraceptive practices but should provide, for married couples and the medical staff who counsel them, instruction both about the Church's teaching on responsible parenthood and in methods of natural family planning.

Direct sterilization of either men or women, whether permanent or temporary, is not permitted in a Catholic health care institution. Procedures that induce sterility are permitted when their direct effect is the cure or alleviation of a present and serious pathology and a simpler treatment is not available.<sup>34</sup>

Genetic counseling may be provided in order to promote responsible parenthood and to prepare for the proper treatment and care of children with genetic defects, in accordance with Catholic moral teaching and the intrinsic rights and obligations of married couples regarding the transmission of life.

## **PART FIVE**

### Issues in Care for the Dying

#### Introduction

Christ's redemption and saving grace embrace the whole person, especially in his or her illness, suffering, and death.<sup>35</sup> The Catholic health care ministry faces the reality of death with the confidence of faith. In the face of death—for many, a time when hope seems lost—the Church witnesses to her belief that God has created each person for eternal life.<sup>36</sup>

Above all, as a witness to its faith, a Catholic health care institution will be a community of respect, love, and support to patients or residents and their families as they face the reality of death. What is hardest to face is the process of dying itself, especially the dependency, the helplessness, and the pain that so often accompany terminal illness. One of the primary purposes of medicine in caring for the dying is the relief of pain and the suffering caused by it. Effective management of pain in all its forms is critical in the appropriate care of the dying.

The truth that life is a precious gift from God has profound implications for the question of stewardship over human life. We are not the owners of our lives and, hence, do not have absolute power over life. We have a duty to preserve our life and to use it for the glory of God, but the duty to preserve life is not absolute, for we may reject life-prolonging procedures that are insufficiently beneficial or excessively burdensome. Suicide and euthanasia are never morally acceptable options.

The task of medicine is to care even when it cannot cure. Physicians and their patients must evaluate the use of the technology at their disposal. Reflection on the innate dignity of human life in all its dimensions and on the purpose of medical care is indispensable for formulating a true moral judgment about the use of technology to maintain life. The use of life-sustaining technology is judged in light of the Christian meaning of life, suffering, and death. Only in this way are two extremes avoided: on the one hand, an insistence on useless or burdensome technology even when a patient may legitimately wish to forgo it and, on the other hand, the withdrawal of technology with the intention of causing death.<sup>37</sup>

Some state Catholic conferences, individual bishops, and the USCCB Committee on Pro-Life Activities (formerly an NCCB committee) have addressed the moral issues concerning medically assisted hydration and nutrition. The bishops are guided by the Church's teaching forbidding euthanasia, which is "an action or an omission which of itself or by intention causes death, in order that all suffering may in this way be eliminated."<sup>38</sup> These statements agree that hydration and nutrition are not morally obligatory either when they bring no comfort to a

person who is imminently dying or when they cannot be assimilated by a person's body. The USCCB Committee on Pro-Life Activities' report, in addition, points out the necessary distinctions between questions already resolved by the magisterium and those requiring further reflection, as, for example, the morality of withdrawing medically assisted hydration and nutrition from a person who is in the condition that is recognized by physicians as the "persistent vegetative state" (PVS).<sup>39</sup>

## Directives

Catholic health care institutions offering care to persons in danger of death from illness, accident, advanced age, or similar condition should provide them with appropriate opportunities to prepare for death. Persons in danger of death should be provided with whatever information is necessary to help them understand their condition and have the opportunity to discuss their condition with their family members and care providers. They should also be offered the appropriate medical information that would make it possible to address the morally legitimate choices available to them. They should be provided the spiritual support as well as the opportunity to receive the sacraments in order to prepare well for death.

A person has a moral obligation to use ordinary or proportionate means of preserving his or her life. Proportionate means are those that in the judgment of the patient offer a reasonable hope of benefit and do not entail an excessive burden or impose excessive expense on the family or the community.<sup>40</sup>

A person may forgo extraordinary or disproportionate means of preserving life. Disproportionate means are those that in the patient's judgment do not offer a reasonable hope of benefit or entail an excessive burden, or impose excessive expense on the family or the community.<sup>41</sup>

There should be a presumption in favor of providing nutrition and hydration to all patients, including patients who require medically assisted nutrition and hydration, as long as this is of sufficient benefit to outweigh the burdens involved to the patient.

The free and informed judgment made by a competent adult patient concerning the use or withdrawal of life-sustaining procedures should always be respected and normally complied with, unless it is contrary to Catholic moral teaching.

Euthanasia is an action or omission that of itself or by intention causes death in order to alleviate suffering. Catholic health care institutions may never condone or participate in euthanasia or assisted suicide in any way. Dying patients who request euthanasia should receive loving care, psychological and spiritual support, and appropriate remedies for pain and other symptoms so that they can live with dignity until the time of natural death.<sup>42</sup>

Patients should be kept as free of pain as possible so that they may die comfortably and with dignity, and in the place where they wish to die. Since a person has the right to prepare for his or her death while fully conscious, he or she should not be deprived of consciousness without a compelling reason. Medicines capable of alleviating or suppressing pain may be given to a dying person, even if this therapy may indirectly shorten the person's life so long as the intent is not to hasten death. Patients experiencing suffering that cannot be alleviated should be helped to appreciate the Christian understanding of redemptive suffering.

The determination of death should be made by the physician or competent medical authority in accordance with responsible and commonly accepted scientific criteria.

Catholic health care institutions should encourage and provide the means whereby those who wish to do so may arrange for the donation of their organs and bodily tissue, for ethically legitimate purposes, so that they may be used for donation and research after death.

Such organs should not be removed until it has been medically determined that the patient has died. In order to prevent any conflict of interest, the physician who determines death should not be a member of the transplant team.

use of tissue or organs from an infant may be permitted after death has been determined and with the informed consent of the parents or guardians.

Catholic health care institutions should not make use of human tissue obtained by direct abortions even for research and therapeutic purposes.<sup>43</sup>

## **PART SIX**

### Forming New Partnerships with Health Care Organizations and Providers

#### Introduction

Until recently, most health care providers enjoyed a degree of independence from one another. In ever-increasing ways, Catholic health care providers have become involved with other health care organizations and providers. For instance, many Catholic health care systems and institutions share in the joint purchase of technology and services with other local facilities or physicians' groups. Another phenomenon is the growing number of Catholic health care systems and institutions joining or co-sponsoring integrated delivery networks or managed care organizations in order to contract with insurers and other health care payers. In some instances, Catholic health care systems sponsor a health care plan or health maintenance organization. In many dioceses, new partnerships will result in a decrease in the number of health care providers, at times leaving the Catholic institution as the sole provider of health care services. At whatever level, new partnerships forge a variety of interwoven relationships: between the various institutional partners, between health care providers and the community, between physicians and health care services, and between health care services and payers.

On the one hand, new partnerships can be viewed as opportunities for Catholic health care institutions and services to witness to their religious and ethical commitments and so influence the healing profession. For example, new partnerships can help to implement the Church's social teaching. New partnerships can be opportunities to realign the local delivery system in order to provide a continuum of health care to the community; they can witness to a responsible stewardship of limited health care resources; and they can be opportunities to provide to poor and vulnerable persons a more equitable access to basic care.

On the other hand, new partnerships can pose serious challenges to the viability of the identity of Catholic health care institutions and services, and their ability to implement these Directives in a consistent way, especially when partnerships are formed with those who do not share Catholic moral principles. The risk of scandal cannot be underestimated when partnerships are not built upon common values and moral principles. Partnership opportunities for some Catholic health care providers may even threaten the continued existence of other Catholic institutions and services, particularly when partnerships are driven by financial considerations alone. Because of the potential dangers involved in the new partnerships that are emerging, an increased collaboration among Catholic-sponsored health care institutions is essential and should be sought before other forms of partnerships.

The significant challenges that new partnerships may pose, however, do not necessarily preclude their possibility on moral grounds. The potential dangers require that new partnerships undergo systematic and objective moral analysis, which takes into account the various factors that often pressure institutions and services into new partnerships that can diminish the autonomy and ministry of the Catholic partner. The following directives are offered to assist institutionally based Catholic health care services in this process of analysis. To this end, the United States Conference of Catholic Bishops has established the Ad Hoc Committee on Health Care Issues and the Church as a resource for bishops and health care leaders.

This new edition of the *Ethical and Religious Directives* omits the appendix concerning cooperation, which was contained in the 1995 edition. Experience has shown that the brief articulation of the principles of cooperation that was presented there did not sufficiently forestall certain possible misinterpretations and in practice gave rise to problems in concrete applications of the principles. Reliable theological experts should be consulted in interpreting and applying the principles governing cooperation, with the proviso that, as a rule, Catholic partners should avoid entering into partnerships that would involve them in cooperation with the wrongdoing of other providers.

#### Directives

Decisions that may lead to serious consequences for the identity or reputation of Catholic health care services, or entail the high risk of scandal, should be made in consultation with the diocesan bishop or his health care liaison.

Any partnership that will affect the mission or religious and ethical identity of Catholic health care institutional services must respect church teaching and discipline. Diocesan bishops and other church authorities should be involved as such partnerships are developed, and the diocesan bishop should give the appropriate authorization before they are completed. The diocesan bishop's approval is required for partnerships sponsored by institutions subject to his governing authority; for partnerships sponsored by religious institutes of pontifical right, his *nihil obstat* should be obtained.

If a Catholic health care organization is considering entering into an arrangement with another organization that may be involved in activities judged morally wrong by the Church, participation in such activities, must be limited to what is in accord with the moral principles governing cooperation.

Catholic health care organizations are not permitted to engage in immediate material cooperation in actions that are intrinsically immoral, such as abortion, euthanasia, assisted suicide, and direct sterilization.<sup>44</sup>

The possibility of scandal must be considered when applying the principles governing cooperation.<sup>45</sup> Cooperation, which in all other respects is morally licit, may need to be refused because of the scandal that might be caused. Scandal can sometimes be avoided by an appropriate explanation of what is in fact being done at the health care facility under Catholic auspices. The diocesan bishop has final responsibility for assessing and addressing issues of scandal, considering not only the circumstances in his local diocese but also the regional and national implications of his decision.<sup>46</sup>

The Catholic partner in an arrangement has the responsibility periodically to assess whether the binding agreement is being observed and implemented in a way that is consistent with Catholic teaching.

Stored in: Desktop\My Documents\Lutheran Hospital\Charlotte's Materials\Excerpts –Ethical and Religious Healthcare (10 ppt).doc